THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
The Florida Prosthodontic Association

ORGANIZATION EDITORS

Edward Plekavich
Glen P. McGivney
William A. Jennings
Thomas Curtis
Jack H. Swepston
William F. P. Malone
Paul J. Hoffman
Jack H. Rayson
James W. Schweiger
William Sulik
A. Norman Cranin
Robert E. Hoar
Noel D. Wilkie
Robert B. Stevenson
Nathaniel H. Lenchner
Ross L. Taylor
Edward J. Riley
Ronald Fisher
Lester E. Rosenthal
Rill Banks

VOLUME 60
Copyright © 1988
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
The Florida Prosthodontic Association

ORGANIZATION EDITORS

Edward Plekavich
Glen P. McGivney
William A. Jennings
Thomas Curtis
Jack H. Swepston
William F. P. Malone
Paul J. Hoffman
Jack H. Rayson
James W. Schweiger
William Sulik
A. Norman Cranin
Robert E. Hoar
Noel D. Wilkie
Robert B. Stevenson
Nathaniel H. Lenchner
Ross L. Taylor
Edward J. Riley
Ronald Fisher
Lester E. Rosenthal
Rill Banks

VOLUME 60
Copyright © 1988
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 60

Author index*

A

Abadie FR. Cast 'headed' post-cores to resist fracture of endodontically treated anterior teeth. 1988;60:660-1
Abuzar M (*see* Molligoda et al). 1988;60:235-8
Adams LP, Wilding RJC. A stereometric technique for measuring residual alveolar ridge volumes. 1988;60:388-93
Agar JR, Weller RN. Occlusal adjustment for initial treatment and prevention of the cracked tooth syndrome. 1988;60:145-7
Akagawa Y, Rachi Y, Matsumoto T, Tsuru H. Attitudes of removable denture patients toward dental implants. 1988;60:362-4
Albrektsson T. A multicenter report on osseointegrated oral implants. 1988;60:75-84
Alessini DJ. 1988;60:131 (Letter)
Anderson GC, Schulte JK, Arnold TG. Dimensional stability of injection and conventional processing of denture base acrylic resin. 1988;60:394-8
Andres CJ (*see* Newton and Andres). 1988;60:139-42
Aquilino SA (*see* Jordan et al). 1988;60:529-31
—— (*see* Richter-Snapp et al). 1988;60:435-9
Aranda R, Barghi N. An evaluation of four techniques for condensation of three opaque porcelains. 1988;60:29-31
Arnold TG (*see* Anderson et al). 1988;60:394-8
Asgar K (*see* McDowell et al). 1988;60:112-20
Atsuta M (*see* Tanaka et al). 1988;60:271-9
Atwood DA (*see* Hahn et al). 1988;60:729-34
—— (*see* Nishimura et al). 1988;60:381-8
Aviv I (*see* Ben-Ur et al). 1988;60:342-4

B

Baharav H, Cardash HS, Pilo R, Helft M. The efficacy of liquid and gel acid etchants. 1988;60:545-7
Bailey JH, Yanase RT, Bodine RL. The mandibular subperiosteal implant denture: a fourteen-year study. 1988;60:358-61
Balshi TJ. 1988;60:260 (Letter)
Bannerman RA (*see* Price and Bannerman). 1988;60:159-64
Barghi N (*see* Aranda and Barghi). 1988;60:29-31
Barzilay I. 1988;60:754 (Letter)
Bates DM (*see* Shay et al). 1988;60:531-40
Beirne OR (*see* Lum et al). 1988;60:700-5
Bell DH (*see* Burns et al). 1988;60:479-83
Ben-Ur Z, Aviv I, Cardash HS. A modified direct retainer design for distal-extension removable partial dentures. 1988;60:342-4
Berry DC (*see* Molligoda et al). 1988;60:235-8
Block PL, Wiley MG. Correction of alveolar ridge deformities with titanium implants. 1988;60:221-5
Bloem TJ, McDowell GC, Lang BR, Powers JM. In vivo wear. Part II. wear and abrasion of composite restorative materials. 1988;60:242-9
—— (*see* McDowell et al). 1988;60:112-20
Bodine RL (*see* Bailey et al). 1988;60:358-61
Bohnenkamp LG (*see* Seals et al). 1988;60:595-601
Bomberg SE (*see* Bomberg et al). 1988;60:681-4
Bomberg TJ, Goldfogel MH, Hoffman W Jr, Bomberg SE. Considerations for adhesion of impression materials to impression trays. 1988;60:681-4
Brogdon C (*see* Dills et al). 1988;60:467-70
Brooks TD (*see* Jacobi and Brooks). 1988;60:433-5
Brose MO, Michney R, Rieger MR. A precision alignment frame for endosseous post dental implants. 1988;60:591-4
Brown FH (*see* Cooley et al). 1988;60:440-3
Buchanan CR (*see* Ma et al). 1988;60:219-21
Buecking W (*see* Kubein-Meesenburg et al). 1988;60:662-72
Burgess JA, Sommers EE, Truelove EL, Dworkin SF. Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system. 1988;60:606-10
Burns DR, Crabtree DG, Bell DH. Template for positioning and angulation of intraosseous implants. 1988;60:479-83
Butler GV (*see* Yard et al). 1988;60:128-9 (Tips)

C

Campagni WV (*see* Zakaria et al). 1988;60:630-7
Campbell CE (*see* Luce and Campbell). 1988;60:151-4
Caponigro CV (*see* Stevenson et al). 1988;60:409-11
Caputo AA (*see* Highton et al). 1988;60:486-90
—— (*see* Pezzoli et al). 1988;60:577-82
Cardash HS. 1988;60:401 (Letter)
—— (*see* Baharav et al). 1988;60:545-7
—— (*see* Ben-Ur et al). 1988;60:342-4
Carmichael RP (*see* Davis and Carmichael). 1988;60:463-6
Carpenter R (*see* Curtis et al). 1988;60:202-11
—— (*see* Curtis et al). 1988;60:334-42
Carr L (*see* Ristic and Carr). 1988;60:130-1 (Letter reply)
Caughman WF (*see* Duncan et al). 1988;60:515-7
Cavazos E (*see* Schelb et al). 1988;60:540-2
Chang JC (*see* Jacobson et al). 1988;60:570-6
Chee WWL, Donovan TE, Daftary F, Siu TM. Effect of chilled monomer on working time and transverse strength of three autopolymerizing acrylic resins. 1988;60:124-6
——, ——, ——, ——. The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength. 1988;60:517-9
Choy E, Kydd WL. Bite force duration: a diagnostic procedure for mandibular dysfunction. 1988;60:365-8
Christensen LC. Plastic dowel and core systems. 1988;60:673-5
Christiansen EL, Roberts D, Kopp S, Thompson JR. CT assisted evaluation of variation in length and angulation of the lateral pterygoid muscle and variation in angulation of the medial pterygoid muscle: mandibular mechanics implications. 1988;60:616-21
Clancy JMS. A technique for limiting reduction of overextended denture borders. 1988;60:258-9 (Tips)
Clary DS. 1988;60:131 (Letter)
Clayton JA (*see* Stern et al). 1988;60:194-8
Coffield B. A cera-platin crown with an all-porcelain facial margin. 1988;60:254-6
Cohen SM, Vaidyanathan TK, Schulman A. The effect of limited beryllium additions on a Ni-Cr alloy. 1988;60:688-92
Colvin C (*see* Kotwal et al). 1988;60:642-3
Commette JA (*see* Tullner et al). 1988;60:725-8
Conrad RS (*see* Hurst et al). 1988;60:738-40
Cooley RL, Lubow RM, Brown FH. Effect of air-powder abrasive instrument on porcelain. 1988;60:440-3
Cooper LF, Myers ML, Nelson DGA, Mowery AS. Shear strength of compsite bonded to laser-pretreated dentin. 1988;60:45-9
Crabtree DG (*see* Burns et al). 1988;60:479-83
Curtis DA (*see* Curtis et al). 1988;60:202-11
—— (*see* Curtis et al). 1988;60:334-42
Curtis TA, Langer Y, Curtis DA, Carpenter R. Occlusal considerations for partially or completely edentulous skeletal class II patients. Part I: background information. 1988;60:202-11
——, ——, ——, ——. Occlusal considerations for partially or completely edentulous skeletal class II patients. Part II: treatment concepts. 1988;60:334-42
—— (*see* Lum et al). 1988;60:700-5

D

Daftary F (*see* Chee et al). 1988;60:124-6
—— (*see* Chee et al). 1988;60:517-9
Dao TTT, Feine JS, Lund JP. Can electrical stimulation be used to establish a physiologic occlusal position? 1988;60:509-14

*July, 1-138; August, 139-266; September, 267-408; October, 409-528; November, 529-654; December, 655-780.

Davis C, Davis WH, DiTraglia R, Kaminishi RM. Synovial chondromatosis of the temporomandibular joint. 1988;60:5-8
Davis DM, Carmichael RP. The plasticizing effect of temporary soft lining materials on polymerized acrylic resins. 1988;60:463-6
Davis EL (*see* Wieczkowski et al). 1988;60:283-7
Davis QB (*see* Koth et al). 1988;60:226-34
Davis WH (*see* Davis et al). 1988;60:5-8
DeBoer J. The effects on function of distal-extension removable partial dentures as determined by occlusal rest position. 1988;60:693-6
De Boever JA (*see* Eeckman and De Boever). 1988;60:549-52
DeBoie RG (*see* Ma et al). 1988;60:219-21
Dellinges M (*see* Lacy et al). 1988;60:288-91
DeLong R (*see* ElCharkawi et al). 1988;60:622-30
Diaz-Arnold AM, Jons RA, LaVelle WE. Prosthodontic rehabilitation of the partially edentulous trauma patient by using osseointegrated implants. 1988;60:354-7
Dillinges M (*see* Lum et al). 1988;60:700-5
Dills SS, Olshan AM, Goldner S, Brogdon C. Comparison of the antimicrobial capability of an abrasive paste and chemical-soak denture cleaners. 1988;60:467-70
DiTraglia R (*see* Davis et al). 1988;60:5-8
Diwan RR, Fahmi F. Comparison of two functional impression techniques for distal-extension removable partial dentures. 1988;60:470-3
Donahue TJ. Factors other than direct retainer design that augment the retention of a mandibular distal-extension removable partial denture. 1988;60:696-9
Donovan TE (*see* Chee et al). 1988;60:124-6
—— (*see* Chee et al). 1988;60:517-9
Douglas WH (*see* ElCharkawi et al). 1988;60:622-30
Douglass GD. Factors to be considered by dentists in selecting dental laboratories. 1988;60:645
Draheim RN, Titus HW, Murrey AJ. A comparison of compressive strengths of six cavity base materials. 1988;60:317-9
—— (*see* Titus et al). 1988;60:178-80
Dudley B (*see* Fleece et al). 1988;60:415-7
Duke ES (*see* Naegeli et al). 1988;60:279-83
—— (*see* Olsen et al). 1988;60:32-5
Duncan JD, Stephens AP, Caughman WF. Reproducing former esthetic qualities in new dentures. 1988;60:515-7
Dworkin SF (*see* Burgess et al). 1988;60:606-10

E

Edge MJ, Podnar JM. An alternate centric relation recording technique for a distal-extension removable partial denture. 1988;60:344-5
Eeckman J, De Boever JA. Clinical accuracy of functionally generated interocclusal registration waxes. 1988;60:549-52
ElCharkawi HG, Goodkind RJ, DeLong R, Douglas WH. The effect of the resilient-layer distal-extension partial denture on movement of the abutment teeth: a new methodology. 1988;60:622-30
Eli I, Liberman R, Levi N, Haspel Y. Bond strength of joined posterior light-cured composites: comparison of surface treatments. 1988;60:185-9
Eshleman JR, Janus CE, Jones CR. Tooth preparation designs for resin-bonded fixed partial dentures related to enamel thickness. 1988;60:18-22
Ettinger RL. Tooth loss in an overdenture population. 1988;60:459-62

F

Fahmi F (*see* Diwan and Fahmi). 1988;60:470-3
Falomo OO, Hobkirk JA. A retrospective survey of patients treated with subperiosteal and endosseous implants. 1988;60:587-90
Feine JS, Hutchins MO, Lund JP. An evaluation of the criteria used to diagnose mandibular dysfunction with the mandibular kinesiograph. 1988;60:374-80
—— (*see* Dao et al) 1988;60:509-14
Fields H (*see* Windchy et al). 1988;60:11-4
Firtell DN. Safe disposal of contaminated syringe needles. 1988;60:259 (Tips)
Fleece L, Linton P, Dudley B. Rapid elimination of a hyperactive gag reflex. 1988;60:415-7
Flinton RJ (*see* Neihart et al). 1988;60:249-53
Flynn E (*see* Nishimura et al). 1988;60:381-8
Fuller DS (*see* Johnston et al). 1988;60:712-5
Fuller JL (*see* Sheth et al). 1988;60:560-9

G

Gallagher G (*see* Hahn et al). 1988;60:729-34
Gallegos LI, Nicholls JI. In vitro two-body wear of three veneering resins. 1988;60:172-8
Garfield RE. Implant prostheses for convertibility, stress control, esthetics, and hygiene. 1988;60:85-93
Getz EH, Getz MS, Getz ES. Application of a geometric principle for locating the mandibular hinge axis through the use of a double recording stylus. 1988;60:553-9
Getz ES (*see* Getz et al). 1988;60:553-9
Getz MS (*see* Getz et al). 1988;60:553-9
Glace WR. 1988;60:753-4 (Letter)
Glancy JF (*see* Tjan and Glancy). 1988;60:189-94
Goldfogel MH (*see* Bomberg et al). 1988;60:681-4
—— (*see* Noonan et al). 1988;60:644 (Tips)
Goldner S (*see* Dills et al). 1988;60:467-70
Goldstein GR (*see* Wesson et al). 1988;60:308-10
Goodis HE, Schein B, Stauffer P. Temperature gradients at two locations within the tooth during cavity preparation in vitro. 1988;60:684-8
Goodkind RJ (*see* ElCharkawi et al). 1988;60:622-30
Grajower R (*see* Lewinstein and Grajower). 1988;60:548-9
Greener E (*see* Muzynski et al). 1988;60:41-4
Gross A (*see* Plesh et al). 1988;60:369-73
Gross MD. The effect of increasing occlusal vertical dimension on transcranial radiographic projections of the temporomandibular joints. 1988;60:491-9
Gwinnett AJ (*see* Santarpia et al). 1988;60:62-70

H

Haddad D (*see* Johnston et al). 1988;60:712-5
Hahn E, Sonis S, Gallagher G, Atwood D. Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats. 1988;60:729-34
Harvey BV (*see* Leary et al). 1988;60:94-7
Harvey W, Johnson L, Scavuzzo F. A method to prevent patients from accidentally ingesting dental devices. 1988;60:143-4
Haspel Y (*see* Eli et al). 1988;60:185-9
Hatano Y (*see* Stern et al). 1988;60:194-8
Helft M (*see* Baharav et al). 1988;60:545-7
Hicken SC (*see* Ma et al). 1988;60:219-21
Highton R, Caputo AA, Kinni M, Matyas J. The interaction of a magnetically retained denture with osseointegrated implants. 1988;60:486-90
—— (*see* Pezzoli et al). 1988;60:577-82
Hobkirk JA (*see* Falomo and Hobkirk). 1988;60:587-90
Hoffman W Jr (*see* Bomberg et al). 1988;60:681-4
Hoover JN (*see* Packota et al). 1988;60:504-9
Hughes D (*see* Smith and Hughes). 1988;60:583-6
Hupp JR. 1988;60:401 (Letter)
Hurst TL, Conrad RS, Matthews M. Diver's denture visibility at one hundred-foot depth. 1988;60:738-40
Hurtado AJ. Internally weighted mandibular dentures. 1988;60:122-3
Hutchins MO (*see* Feine et al). 1988;60:374-80

J

Jacobi R, Brooks TD. An intraoral lift technique for refining porcelain margins. 1988;60:433-5
Jacobson TE, Chang JC, Keri PP, Watanabe LG. Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy. 1988;60:570-6
Jameson L (*see* Muzynski et al). 1988;60:41-4
Janus CE (*see* Eshleman et al). 1988;60:18-22
Jensen ME (*see* Sheth et al). 1988;60:560-9
Johnson C (*see* Lewandowski et al). 1988;60:705-11
Johnson GH (*see* Pratten and Johnson). 1988;60:154-8
Johnson L (*see* Harvey et al). 1988;60:143-4
Johnson WT (*see* Leary et al). 1988;60:94-7

Johnston LE Jr, Fuller DS, Haddad D, Kho G, Myers CB Jr, Seikel L, Shaheen M, Starr D. Gnathologic assessment of centric slides in postretention orthodontic patients. 1988;60:712-5
Johnston WM (*see* Kao et al). 1988;60:328-33
—— (*see* Rosenstiel and Johnston). 1988;60:297-303
—— (*see* Zakaria et al). 1988;60:630-7
Jones CR (*see* Eshleman et al). 1988;60:18-22
Jones DW (*see* Shaffner and Jones). 1988;60:425-32
Jones FR (*see* Jones and Jones). 1988;60:349-54
Jones SD, Jones FR. Tissue-integrated implants for the partially edentulous patient. 1988;60:349-54
Jons RA (*see* Diaz-Arnold et al). 1988;60:354-7
Jordan RD, Aquilino SA, Leary JM. Immediate fixed partial dentures. 1988;60:529-31
Joynt RB (*see* Wieczkowski et al). 1988;60:283-7

K

Kaiser DA (*see* Schelb et al). 1988;60:540-2
Kaminishi RM (*see* Davis et al). 1988;60:5-8
Kao EC, Pryor HG, Johnston WM. Strength of composites repaired by laminating with dissimilar composites. 1988;60:328-33
Kapur KK. 1988;60:260 (Letter)
Keri PP (*see* Jacobson et al). 1988;60:570-6
Khan Z, Razavi R, von Fraunhofer JA. The physical properties of a visible light-cured temporary fixed partial denture material. 1988; 60:543-5
—— (*see* Windchy et al). 1988;60:11-4
Kho G (*see* Johnston et al). 1988;60:712-5
Kinni M (*see* Highton et al). 1988;60:486-90
Klockowski R (*see* Wieczkowski et al). 1988;60:283-7
Kolling JN (*see* Stern et al). 1988;60:194-8
Könönen M, Siirilä HS. Prevalence of nocturnal and diurnal bruxism in patients with psoriasis. 1988;60:238-41
Koper A. Difficult denture birds—new sightings. 1988;60:70-4
Kopp S (*see* Christiansen et al). 1988;60:616-21
Kosinski TF (*see* Mentag and Kosinski). 1988;60:411-5
Koth DL, McKinney RV, Steflik DE, Davis QB. Clinical and statistical analyses of human clinical trials with the single crystal aluminum oxide endosteal dental implant: five-year results. 1988; 60:226-34
Kotwal KR, Montoya ML, Colvin C. Minimizing incisal pin opening during complete denture processing. 1988;60:642-3
Kozeniauskas JJ, Ralph WJ. Bilateral arthrographic evaluation of unilateral temporomandibular joint pain and dysfunction. 1988; 60:98-105
Kozono Y (*see* Morikawa et al). 1988;60:58-61
Kubein-Meesenburg D, Naegerl H, Meyer G, Buecking W. Individual reconstruction of palatal concavities. 1988;60:662-72
Kuipers L (*see* Plasmans et al). 1988;60:500-3
Kydd WL (*see* Choy and Kydd). 1988;60:365-8

L

Lacy AM, LaLuz J, Watanabe LG, Dellinges M. Effect of porcelain surface treatment on the bond to composite. 1988;60:288-91
LaLuz J (*see* Lacy et al). 1988;60:288-91
Lang BR (*see* Bloem et al). 1988;60:242-9
—— (*see* McDowell et al). 1988;60:112-20
Langer Y (*see* Curtis et al). 1988;60:202-11
—— (*see* Curtis et al). 1988;60:334-42
Latta GH Jr. A technique for preparation of lingual rest seats in light-cured composite. 1988;60:127 (Tips)
Laufer B-Z, Nicholls JI, Townsend JD. SiO_x-C coating: a composite-to-metal bonding mechanism. 1988;60:320-7
Laurell L, Lundgren D. Distribution of occlusal forces along unilateral posterior two-unit cantilever segments in cross-arch fixed partial dentures. 1988;60:106-12
LaVelle WE (*see* Diaz-Arnold et al). 1988;60:354-7
Leary JM, Johnson WT, Harvey BV. An evaluation of temporomandibular joint radiographs. 1988;60:94-7
—— (*see* Jordan et al). 1988;60:529-31
Levi N (*see* Eli et al). 1988;60:185-9
Lewandowski JA, White KC, Moore D, Johnson C. An investigation of two rare earth magnetic systems by measuring grip force and reseating force. 1988;60:705-11
Lewinstein I, Grajower R. Transfer copings made from acrylic resins with an opaquing agent. 1988;60:548-9
Li S-H (*see* Neihart et al). 1988;60:249-53
Liberman R (*see* Eli et al). 1988;60:185-9
Linton P (*see* Fleece et al). 1988;60:415-7
Lipkin LS. An alternative method of border molding. 1988;60:399 (Tips)
Lloyd PM (*see* Shay et al). 1988;60:531-40
Lowe JA (*see* Oliva et al). 1988;60:180-4
Lu DP. Restoration of carious exposed abutment teeth to fit existing fixed partial dentures. 1988;60:678-81
Lubow RM (*see* Cooley et al). 1988;60:440-3
Luce MS, Campbell CE. Stain potential of four microfilled composites. 1988;60:151-4
Lum LB, Beirne OR, Dillinges M, Curtis TA. Osseointegration of two types of implants in nonhuman primates. 1988;60:700-5
Lund JP (*see* Dao et al) 1988;60:509-14
—— (*see* Feine et al). 1988;60:374-80
Lundgren D (*see* Laurell and Lundgren). 1988;60:106-12
Lyons MF. An electromyographic study of masticatory muscle activity at increased occlusal vertical dimension in complete denture wearers. 1988;60:346-8

M

Ma T, Hicken SC, Buchanan CR, DeBoie RG. Chairside color verification for facial prostheses. 1988;60:219-21
Malone WFP (*see* Muzynski et al). 1988;60:41-4
—— (*see* Salib et al). 1988;60:520-1 (Tips)
Masuhara E (*see* Tanaka et al). 1988;60:271-9
Matsumoto T (*see* Akagawa et al). 1988;60:362-4
Matthews M (*see* Hurst et al). 1988;60:738-40
Matyas J (*see* Highton et al). 1988;60:486-90
—— (*see* Pezzoli et al). 1988;60:577-82
McCall WD Jr (*see* Plesh et al). 1988;60:369-73
McCartney JW (*see* Nusinov et al). 1988;60:483-5
McDowell GC, Bloem TJ, Lang BR, Asgar K. In vivo wear. Part I: the Michigan computer-graphic measuring system. 1988;60:112-20
—— (*see* Bloem et al). 1988;60:242-9
McGowan MJ, Shimoda LM, Woolsey GD. Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization. 1988;60:212-8
McKinney RV (*see* Koth et al). 1988;60:226-34
Mentag PJ, Kosinski TF. Increased retention of a maxillary obturator prosthesis using osteointegrated intramobile cylinder dental implants: a clinical report. 1988;60:411-5
Meyer G (*see* Kubein-Meesenburg et al). 1988;60:662-72
Michney R (*see* Brose et al). 1988;60:591-4
Miller TE. Two unique clinical applications using acid-etched restorations. 1988;60:9-11
Minagi S. 1988;60:646 (Letter reply)
Mitchell DL (*see* Nusinov et al). 1988;60:483-5
—— (*see* Singer et al). 1988;60:602-5
Molligoda MA, Abuzar M, Berry DC. Measuring diurnal variations in the dispersion of occlusal contacts. 1988;60:235-8
Montoya ML (*see* Kotwal et al). 1988;60:642-3
Moon PC (*see* Tullner et al). 1988;60:725-8
Moore D (*see* Lewandowski et al). 1988;60:705-11
Morikawa M. 1988;60:401-2 (Letter reply)
——, Kozono Y, Noguchi BS, Toyoda S. Reproducibility of the vertical dimension of occlusion with an improved measuring gauge. 1988;60:58-61
Morris HF. Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys. 1988;60:52-7
——. Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys. 1988;60:164-71
Mowery AS (*see* Cooper et al). 1988;60:45-9
Murrey AJ (*see* Draheim et al). 1988;60:317-9
—— (*see* Titus et al). 1988;60:178-80
Muzynski BL, Greener E, Jameson L, Malone WFP. Fluoride release from glass ionomers used as luting agents. 1988;60:41-4

Myers CB (*see* Johnston et al). 1988;60:712-5
Myers ML (*see* Cooper et al). 1988;60:45-9

N

Naegeli DG, Duke ES, Schwartz R, Norling BK. Adhesive bonding of composites to a casting alloy. 1988;60:279-83
Naegerl H (*see* Kubein-Meesenburg et al). 1988;60:662-72
Nakabayashi N (*see* Tanaka et al). 1988;60:271-9
Neihart TR, Li S-H, Flinton RJ. Measuring fracture toughness of high-impact poly(methyl methacrylate) with the short rod method. 1988;60:249-53
Nelson DGA (*see* Cooper et al). 1988;60:45-9
Nemetz H, Tjan AHL. Reversible hydrocolloid: the standard of excellence. 1988;60:267-70
Neufeld BD (*see* Packota et al). 1988;60:504-9
Newton AD, Andres CJ. Prosthodontic rehabilitation following total mandibular reconstruction: a clinical report. 1988;60:139-42
Nicholls JI. Tensile bond of resin cements to porcelain veneers. 1988; 60:443-7
—— (*see* Gallegos and Nicholls). 1988;60:172-8
—— (*see* Laufer et al). 1988;60:320-7
Nishimura I, Szabo G, Flynn E, Atwood DA. A local pathophysiologic mechanism of the resorption of residual ridges: prostaglandin as a mediator of bone resorption. 1988;60:381-8
Noguchi BS (*see* Morikawa et al). 1988;60:58-61
Noonan JE Jr, Goldfogel M, Scrabeck JG. The use of temporary cement as a disclosing medium to improve the seating of gold castings. 1988;60:644 (Tips)
Nordlander J, Weir D, Stoffer W, Ochi S. The taper of clinical preparations for fixed prosthodontics. 1988;60:148-51
Norling BK (*see* Naegeli et al). 1988;60:279-83
—— (*see* Olsen et al). 1988;60:32-5
Nusinov NS, McCartney JW, Mitchell DL. Inverted anatomic tracing: a guide to establishing orbital tissue contours for the oculofacial prosthesis. 1988;60:483-5

O

Ochi S (*see* Nordlander et al). 1988;60:148-51
Okeson JP. Long-term treatment of disk-interference disorders of the temporomandibular joint with anterior repositioning occlusal splints. 1988;60:611-6
Oliva RA, Lowe JA, Ozaki MM. Film thickness measurements of a paint-on die spacer. 1988;60:180-4
Olsen RA, Duke ES, Norling BK. Enamel reduction and the bond strength of resin-bonded retainers. 1988;60:32-5
Olshan AM (*see* Dills et al). 1988;60:467-70
Omar R. A comparative study of the retentive capacity of dental cementing agents. 1988;60:35-40
Ozaki MM (*see* Oliva et al). 1988;60:180-4

P

Packota GV, Hoover JN, Neufeld BD. A study of the height of intact alveolar bone on panoramic radiographs of adult patients. 1988; 60:504-9
Panhans MA (*see* Shay et al). 1988;60:531-40
Parel SM (*see* Seals et al). 1988;60:595-601
Pashley DH (*see* Pashley et al). 1988;60:292-7
Pashley EL, Tao L, Pashley DH. The sealing properties of temporary filling materials. 1988;60:292-7
Pelleu GB Jr (*see* Singer et al). 1988;60:602-5
Peters TED. 1988;60:131 (Letter)
Pezzoli M, Highton R, Caputo A, Matyas J. Retention magnets in guiding plates of distal-extension removable partial dentures. 1988; 60:577-82
Pilo R (*see* Baharav et al). 1988;60:545-7
Plasmans PJJM, Kuipers L, Vollenbrock HR, Vrijhoef MMA. The occlusal status of molars. 1988;60:500-3
Plesh O, McCall WD Jr, Gross A. The effect of prior jaw motion on the plot of electromyographic amplitude versus jaw position. 1988; 60:369-73
Podnar JM (*see* Edge and Podnar). 1988;60:344-5
Pollock JJ (*see* Santarpia et al). 1988;60:62-70
Powers JM (*see* Bloem et al). 1988;60:242-9
Powis DR, Prosser HJ, Shortall AC, Wilson AD. Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique. 1988;60:304-7
Pratten DH, Johnson GH. An evaluation of finishing instruments for an anterior and a posterior composite. 1988;60:154-8
Price RB, Bannerman RA. A comparison of articulator settings obtained by using an electronic pantograph and lateral interocclusal recordings. 1988;60:159-64
——, Sutow EJ. Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin. 1988;60:311-6
Prosser HJ (*see* Powis et al). 1988;60:304-7
Pryor HG (*see* Kao et al). 1988;60:328-33
Pullinger AG, Seligman DA, Solberg WK. Temporomandibular disorders. Part I: functional status, dentomorphologic features, and sex differences in a nonpatient population (1988;59:228-35). 1988; 60:132 (Correction)

R

Rachi Y (*see* Akagawa et al). 1988;60:362-4
Ralph WJ (*see* Kozeniauskas and Ralph). 1988;60:98-105
Randall ME, Salisbury PL III, Schmidtke M. Afterloaded radiation carrier for carcinoma of the palate: a clinical report. 1988;60: 655-9
Razavi R (*see* Khan et al). 1988;60:543-5
Reddy TG Jr (*see* Runyan et al). 1988;60:676-8
Reinhardt RA, Sivers JE. Management of class III furcally involved abutments for fixed prosthodontic restorations. 1988;60:23-8
Reisbick MH (*see* Zakaria et al). 1988;60:630-7
Render PJ (*see* Yard et al). 1988;60:128-9 (Tips)
Renner RP (*see* Santarpia et al). 1988;60:62-70
Rhodes SK. Fixed partial denture design and construction for missing mandibular molars by using an osseointegrated implant for an abutment. 1988;60:1-4
Richter-Snapp K, Aquilino SA, Svare CW, Turner KA. Change in marginal fit as related to margin design, alloy type, and porcelain proximity in porcelain-fused-to-metal restorations. 1988;60:435-9
Rieger MR (*see* Brose et al). 1988;60:591-4
Ristic B, Carr L. 1988;60:130-1 (Letter reply)
Roberts D (*see* Christiansen et al). 1988;60:616-21
Rosenstiel SF, Johnston WM. The effects of manipulative variables on the color of ceramic metal restorations. 1988;60:297-303
Ross NM. 1988;60:646 (Letter)
Rueggeberg FA. 1988;60:401 (Letter)
Runyan DA, Reddy TG Jr, Shimoda LM. Fluid absorbency of retraction cords after soaking in aluminum chloride solution. 1988; 60:676-8
Ryan JR (*see* Strohaver and Ryan). 1988;60:638-41

S

Salem G. Margin design for esthetic posterior metal ceramic crowns. 1988;60:418-24
Salib MM, Taylor RL, Malone WFP. Modified Boley gauge for recording vertical dimension. 1988;60:520-1 (Tips)
Salisbury PL III (*see* Randall et al). 1988;60:655-9
Santarpia RP III, Renner RP, Pollock JJ, Gwinnett AJ. Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis. 1988;60:62-70
Scavuzzo F (*see* Harvey et al). 1988;60:143-4
Schein B (*see* Goodis et al). 1988;60:684-8
Schelb E. Using a syringe to make void-free casts from elastomeric impressions. 1988;60:121-2
——, Cavazos E, Kaiser DA, Troendle K. Compatibility of type IV dental stones with polyether impression materials. 1988;60:540-2
Schmidtke M (*see* Randall et al). 1988;60:655-9
Schulman A (*see* Cohen et al). 1988;60:688-92
—— (*see* Wesson et al). 1988;60:308-10
Schulte JK (*see* Anderson et al). 1988;60:394-8
Schwartz R (*see* Naegeli et al). 1988;60:279-83
Schwarz WD. 1988;60:260 (Letter)
Schweiger JW. American Board of Prosthodontics listing of officers and members. 1988;60:741-52

Scrabeck JG (*see* Noonan et al). 1988;60:644 (Tips)
Seals RR Jr, Bohnenkamp LG, Parel SM. Intranasal prostheses, splints, and stents. 1988;60:595-601
Seikel L (*see* Johnston et al). 1988;60:712-5
Shaffner VB, Jones DW. The influence of porcelain powder blending on color: a clinical and laboratory study using a custom shade analysis system. 1988;60:425-32
Shaheen M (*see* Johnston et al). 1988;60:712-5
Shay K, Lloyd PM, Panhans MA, Bates DM. The absence of an age effect on enamel solubility in phosphoric acid. 1988;60:531-40
Sheth JJ, Fuller JL, Jensen ME. Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites. 1988; 60:560-9
Shimoda LM (*see* McGowan et al). 1988;60:212-8
—— (*see* Runyan et al). 1988;60:676-8
Shortall AC. Long-term monitoring of microleakage of composites. Part II: scanning electron microscopic examination of replica patterns of composite tags. 1988;60:451-8
—— (*see* Powis et al). 1988;60:304-7
Siirilä HS (*see* Könönen and Siirilä). 1988;60:238-41
Singer MT, Mitchell DL, Pelleu GB Jr. Effect of primers on the bond strength of silicone elastomers and polyurethane. 1988;60:602-5
Siu TM (*see* Chee et al). 1988;60:124-6
—— (*see* Chee et al). 1988;60:517-9
Sivers JE (*see* Reinhardt and Sivers). 1988;60:23-8
Smith JP, Hughes D. A survey of referred patients experiencing problems with complete dentures. 1988;60:583-6
Sommers EE (*see* Burgess et al). 1988;60:606-10
Sonis S (*see* Hahn et al). 1988;60:729-34
Starr D (*see* Johnston et al). 1988;60:712-5
Stauffer P (*see* Goodis et al). 1988;60:684-8
Steflik DE (*see* Koth et al). 1988;60:226-34
Stephens AP (*see* Duncan et al). 1988;60:515-7
Stern N, Hatano Y, Kolling JN, Clayton JA. A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology. 1988;60:194-8
Stevenson RB, Wilson WG, Caponigro CV. Attachment of swing-lock labial bar to an existing removable partial denture: a clinical report. 1988;60:409-11
Stoffer W (*see* Nordlander et al). 1988;60:148-51
Strohaver RA, Ryan JR. New face-bow simplifies routine use and dental laboratory cooperation. 1988;60:638-41
Sutow EJ (*see* Price and Sutow). 1988;60:311-6
Svare CW (*see* Richter-Snapp et al). 1988;60:435-9
Szabo G (*see* Nishimura et al). 1988;60:381-8

T

Tanaka T, Atsuta M, Nakabayashi N, Masuhara E. Surface treatment of gold alloys for adhesion. 1988;60:271-9
Tao L (*see* Pashley et al). 1988;60:292-7
Tautin FS. Conversion of a conventional attachment to magnets. 1988;60:257 (Tips)
Taylor RL (*see* Salib et al). 1988;60:520-1 (Tips)
Teaford MF. Is tooth wear a correlate of composite microwear? 1988;60:400 (Tips)
Thompson JR (*see* Christiansen et al). 1988;60:616-21
Titus HW, Draheim RN, Murrey AJ. The effect of enamel etchant on the solubility of three calcium hydroxide bases. 1988;60:178-80
—— (*see* Draheim et al). 1988;60:317-9
Tjan AHL, Glancy JF. Effects of four lubricants used during incremental insertion of two types of visible light–activated composites. 1988;60:189-94
—— (*see* Nemetz and Tjan). 1988;60:267-70
—— (*see* Wacker and Tjan). 1988;60:49-52
Townsend JD (*see* Laufer et al). 1988;60:320-7
Toyoda S (*see* Morikawa et al). 1988;60:58-61
Troendle K (*see* Schelb et al). 1988;60:540-2
Truelove EL (*see* Burgess et al). 1988;60:606-10
Tsuru H (*see* Akagawa et al). 1988;60:362-4
Tullner JB, Commette JA, Moon PC. Linear dimensional changes in dental impressions after immersion in disinfectant solutions. 1988;60:725-8
Turner KA (*see* Richter-Snapp et al). 1988;60:435-9

V

Vaidyanathan TK (*see* Cohen et al). 1988;60:688-92
Vitsentzos SI. Study of the retention of pins. 1988;60:447-51
Vollenbrock HR (*see* Plasmans et al). 1988;60:500-3
von Fraunhofer JA (*see* Khan et al). 1988;60:543-5
von Krammer R. An extrusion technique for handling autocuring acrylic resins. 1988;60:735-8
——. A two-stage impression technique for distal-extension removable partial dentures. 1988;60:199-201
Vrijhoef MMA (*see* Plasmans et al). 1988;60:500-3

W

Wacker DR, Tjan AHL. Effect of variation in powder-to-liquid ratio of zinc phosphate cement on the retention of posts. 1988;60:49-52
Watanabe LG (*see* Jacobson et al). 1988;60:570-6
—— (*see* Lacy et al). 1988;60:288-91
Weir D (*see* Nordlander et al). 1988;60:148-51
Weller RN (*see* Agar and Weller). 1988;60:145-7
Wesson A, Goldstein GR, Schulman A. Flexion characteristics of fixed partial denture frameworks tested by using elapsed-time holographic interferometry. 1988;60:308-10
White KC (*see* Lewandowski et al). 1988;60:705-11
Wieczkowski G Jr, Joynt RB, Klockowski R, Davis EL. Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites. 1988;60:283-7
Wilding JC (*see* Adams and Wilding). 1988;60:388-93
Wiley MG (*see* Block and Wiley). 1988;60:221-5
Wilkinson TM. The relationship between the disk and the lateral pterygoid muscle in the human temporomandibular joint. 1988; 60:715-24
Wilson AD (*see* Powis et al). 1988;60:304-7
Wilson WG (*see* Stevenson et al). 1988;60:409-11
Windchy A, Khan Z, Fields H. Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture. 1988;60:11-4
Woelfel JB. 1988;60:130 (Letter)
Wood GN. Centric relation and the treatment position in rehabilitating occlusions: a physiologic approach. Part II: the treatment position. 1988;60:15-8
Woolsey GD (*see* McGowan et al). 1988;60:212-8

Y

Yanase RT (*see* Bailey et al). 1988;60:358-61
Yard RA, Butler GV, Render PJ. Bonded composite rests: a fabrication method. 1988;60:128-9 (Tips)

Z

Zakaria MR, Johnston WM, Reisbick MH, Campagni WV. The effects of a liquid dispersing agent and a microcrystalline additive on the physical properties of type IV gypsum. 1988;60:630-7
Zobler MN. Reconstruction of the edentulous maxillary arch by using prosthodontic implants. 1988;60:474-8

Subject index*

A

Abrasion; *see* **Tooth abrasion**

Absorption
- Fluid absorbency of retraction cords after soaking in aluminum chloride solution (Runyan et al). 1988;60:676-8

Abutments
- The effect of the resilient-layer distal-extension partial denture on movement of the abutment teeth: a new methodology (ElCharkawi et al). 1988;60:622-30
- Fixed partial denture design and construction for missing mandibular molars by using an osseointegrated implant for an abutment. (Rhodes). 1988;60:1-4
- Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8
- Restoration of carious exposed abutment teeth to fit existing fixed partial dentures (Lu). 1988;60:678-81

Accident prevention
- A method to prevent patients from accidentally ingesting dental devices (Harvey et al). 1988;60:143-4

Acid etching
- The absence of an age effect on enamel solubility in phosphoric acid (Shay et al). 1988;60:531-40
- The effect of enamel etchant on the solubility of three calcium hydroxide bases (Titus et al). 1988;60:178-80
- The efficacy of liquid and gel acid etchants (Baharav et al). 1988;60:545-7
- Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
- Two unique clinical applications using acid-etched restorations (Miller). 1988;60:9-11

Acrylic resins
- Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
- Dimensional stability of injection and conventional processing of denture base acrylic resin (Anderson et al). 1988;60:394-8
- Effect of chilled monomer on working time and transverse strength of three autopolymerizing acrylic resins (Chee et al). 1988;60:124-6
- The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength (Chee et al). 1988;60:517-9
- An extrusion technique for handling autocuring acrylic resins (von Krammer). 1988;60:735-8
- Measuring fracture toughness of high-impact poly(methyl methacrylate) with the short rod method (Neihart et al). 1988;60:249-53
- The physical properties of a visible light-cured temporary fixed partial denture material (Khan et al). 1988;60:543-5
- The plasticizing effect of temporary soft lining materials on polymerized acrylic resins (Davis and Carmichael). 1988;60:463-6
- Transfer copings made from acrylic resins with an opaquing agent (Lewinstein and Grajower). 1988;60:548-9

Adhesives
- Adhesive bonding of composites to a casting alloy (Naegeli et al). 1988;60:279-83
- Considerations for adhesion of impression materials to impression trays (Bomberg et al). 1988;60:681-4

Adhesives—cont'd
- Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites (Sheth et al). 1988;60:560-9
- Effect of primers on the bond strength of silicone elastomers and polyurethane (Singer et al). 1988;60:602-5
- Effects of four lubricants used during incremental insertion of two types of visible light-activated composites (Tjan and Glancy). 1988;60:189-94
- Surface treatment of gold alloys for adhesion (Tanaka et al). 1988;60:271-9

Agar
- Reversible hydrocolloid: the standard of excellence (Nemetz and Tjan). 1988;60:267-70

Aging
- The absence of an age effect on enamel solubility in phosphoric acid (Shay et al). 1988;60:531-40

Air pressure
- Effect of air-powder abrasive instrument on porcelain (Cooley et al). 1988;60:440-3

Alloys
- Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
- Change in marginal fit as related to margin design, alloy type, and porcelain proximity in porcelain-fused-to-metal restorations (Richter-Snapp et al). 1988;60:435-9
- The effect of limited beryllium additions on a Ni-Cr alloy (Cohen et al). 1988;60:688-92
- Surface treatment of gold alloys for adhesion (Tanaka et al). 1988;60:271-9
- Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys (Morris). 1988;60:52-7
- Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys (Morris). 1988;60:164-71

Aluminum
- Clinical and statistical analyses of human clinical trials with the single crystal aluminum oxide endosteal dental implant: five-year results (Koth et al). 1988;60:226-34
- Fluid absorbency of retraction cords after soaking in aluminum chloride solution (Runyan et al). 1988;60:676-8

Alveolar process
- Correction of alveolar ridge deformities with titanium implants (Block and Wiley). 1988;60:221-5
- A local pathophysiologic mechanism of the resorption of residual ridges: prostaglandin as a mediator of bone resorption (Nishimura et al). 1988;60:381-8
- Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
- A stereometric technique for measuring residual alveolar ridge volumes (Adams and Wilding). 1988;60:388-93
- A study of the height of intact alveolar bone on panoramic radiographs of adult patients (Packota et al). 1988;60:504-9

Amalgam
- Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites (Wieczkowski et al). 1988;60:283-7

American Board of Prosthodontics
- American Board of Prosthodontics listing of officers and members. 1988;60:741-52

*July, 1-138; August, 139-266; September, 267-408; October, 409-528; November, 529-654; December, 655-780.

Anatomy
Inverted anatomic tracing: a guide to establishing orbital tissue contours for the oculofacial prosthesis (Nusinov et al). 1988; 60:483-5
Animals, laboratory
Osseointegration of two types of implants in nonhuman primates (Lum et al). 1988;60:700-5
Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
Arthrography
Bilateral arthrographic evaluation of unilateral temporomandibular joint pain and dysfunction (Kozeniauskas and Ralph). 1988; 60:98-105
Articulators
A comparison of articulator settings obtained by using an electronic pantograph and lateral interocclusal recordings (Price and Bannerman). 1988;60:159-64
A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology (Stern et al). 1988; 60:194-8
New face-bow simplifies routine use and dental laboratory cooperation (Strohaver and Ryan). 1988;60:638-41
Axis
Application of a geometric principle for locating the mandibular hinge axis through the use of a double recording stylus (Getz et al). 1988;60:553-9

B

Bacteria
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Bases; *see* **Denture bases**
Beryllium
The effect of limited beryllium additions on a Ni-Cr alloy (Cohen et al). 1988;60:688-92
Biomechanics
Individual reconstruction of palatal concavities (Kubein-Meesenburg et al). 1988;60:662-72
The sealing properties of temporary filling materials (Pashley et al). 1988;60:292-7
Bite force
Bite force duration: a diagnostic procedure for mandibular dysfunction (Choy and Kydd). 1988;60:365-8
Distribution of occlusal forces along unilateral posterior two-unit cantilever segments in cross-arch fixed partial dentures (Laurell and Lundgren). 1988;60:106-12
Bite registration; *see* **Jaw relation record**
Boley gauge
Modified Boley gauge for recording vertical dimension (Salib et al). 1988;60:520-1 (Tips)
Bonding
Adhesive bonding of composites to a casting alloy (Naegeli et al). 1988;60:279-83
Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
Bond strength of joined posterior light-cured composites: comparison of surface treatments (Eli et al). 1988;60:185-9
Bonded composite rests: a fabrication method (Yard et al). 1988;60:128-9 (Tips)
Effect of porcelain surface treatment on the bond to composite (Lacy et al). 1988;60:288-91
Effect of primers on the bond strength of silicone elastomers and polyurethane (Singer et al). 1988;60:602-5
Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
Shear strength of composite bonded to laser-pretreated dentin (Cooper et al). 1988;60:45-9
SiO_x-C coating: a composite-to-metal bonding mechanism (Laufer et al). 1988;60:320-7
A technique for preparation of lingual rest seats in light-cured composite (Latta). 1988;60:127 (Tips)
Bonding—cont'd
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
Bone resorption
A local pathophysiologic mechanism of the resorption of residual ridges: prostaglandin as a mediator of bone resorption (Nishimura et al). 1988;60:381-8
Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
Bruxism
Prevalence of nocturnal and diurnal bruxism in patients with psoriasis (Könönen and Siirilä). 1988;60:238-41

C

Calcium hydroxide
The effect of enamel etchant on the solubility of three calcium hydroxide bases (Titus et al). 1988;60:178-80
Calcium sulfate
Compatibility of type IV dental stones with polyether impression materials (Schelb et al). 1988;60:540-2
The effects of a liquid dispersing agent and a microcrystalline additive on the physical properties of type IV gypsum (Zakaria et al). 1988;60:630-7
Candida
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Carbon
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Carbide; *see* **Carbon**
Carcinoma, squamous cell
Afterloaded radiation carrier for carcinoma of the palate: a clinical report (Randall et al). 1988;60:655-9
Caries
Restoration of carious exposed abutment teeth to fit existing fixed partial dentures (Lu). 1988;60:678-81
Casting investment
Film thickness measurements of a paint-on die spacer (Oliva et al). 1988;60:180-4
Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys (Morris). 1988;60:164-71
Casting technique
Cast 'headed' post-cores to resist fracture of endodontically treated anterior teeth (Abadie). 1988;60:660-1
The use of temporary cement as a disclosing medium to improve the seating of gold castings (Noonan et al). 1988;60:644 (Tips)
Using a syringe to make void-free casts from elastomeric impressions (Schelb). 1988;60:121-2
Cavity lining
A comparison of compressive strengths of six cavity base materials (Draheim et al). 1988;60:317-9
The effect of enamel etchant on the solubility of three calcium hydroxide bases (Titus et al). 1988;60:178-80
Cavity preparation
Temperature gradients at two locations within the tooth during cavity preparation in vitro (Goodis et al). 1988;60:684-8
Cements
A comparative study of the retentive capacity of dental cementing agents (Omar). 1988;60:35-40
A comparison of compressive strengths of six cavity base materials (Draheim et al). 1988;60:317-9
Fluoride release from glass ionomers used as luting agents (Muzynski et al). 1988;60:41-4
Study of the retention of pins (Vitsentzos). 1988;60:447-51
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
The use of temporary cement as a disclosing medium to improve the seating of gold castings (Noonan et al). 1988;60:644 (Tips)
Centric relation; *see* **Occlusion, centric**

Ceramics; *see also* **Porcelain**
A cera-platin crown with an all-porcelain facial margin (Coffield). 1988;60:254-6
The effects of manipulative variables on the color of ceramic metal restorations (Rosenstiel and Johnston). 1988;60:297-303
Margin design for esthetic posterior metal ceramic crowns (Salem). 1988;60:418-24
Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys (Morris). 1988;60:52-7
Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys (Morris). 1988;60:164-71
Chlorides
Fluid absorbency of retraction cords after soaking in aluminum chloride solution (Runyan et al). 1988;60:676-8
Chondromatosis; *see* **Synovial membrane, pathology**
Chromium alloys
Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
The effect of limited beryllium additions on a Ni-Cr alloy (Cohen et al). 1988;60:688-92
Circadian rhythm
Measuring diurnal variations in the dispersion of occlusal contacts (Molligoda et al). 1988;60:235-8
Prevalence of nocturnal and diurnal bruxism in patients with psoriasis (Könönen and Siirilä). 1988;60:238-41
Clinical reports
Clinical reports. 1988;60:1-14, 139-44, 409-17, 655-9
Cobalt
Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
Collagen
Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
Color
Chairside color verification for facial prostheses (Ma et al). 1988;60:219-21
Diver's denture visibility at one hundred-foot depth (Hurst et al). 1988;60:738-40
The effects of manipulative variables on the color of ceramic metal restorations (Rosenstiel and Johnston). 1988;60:297-303
The influence of porcelain powder blending on color: a clinical and laboratory study using a custom shade analysis system (Shaffner and Jones). 1988;60:425-32
Composite resins
Adhesive bonding of composites to a casting alloy (Naegeli et al). 1988;60:279-83
Bond strength of joined posterior light-cured composites: comparison of surface treatments (Eli et al). 1988;60:185-9
Bonded composite rests: a fabrication method (Yard et al). 1988;60:128-9 (Tips)
Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites (Sheth et al). 1988;60:560-9
Effect of porcelain surface treatment on the bond to composite (Lacy et al). 1988;60:288-91
Effects of four lubricants used during incremental insertion of two types of visible light-activated composites (Tjan and Glancy). 1988;60:189-94
Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites (Wieczkowski et al). 1988;60:283-7
An evaluation of finishing instruments for an anterior and a posterior composite (Pratten and Johnson). 1988;60:154-8
In vivo wear. Part II: wear and abrasion of composite restorative materials (Bloem et al). 1988;60:242-9
Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique (Powis et al). 1988;60:304-7
Composite resins—cont'd
Long-term monitoring of microleakage of composites. Part II: scanning electron microscopic examination of replica patterns of composite tags (Shortall). 1988;60:451-8
Shear strength of composite bonded to laser-pretreated dentin (Cooper et al). 1988;60:45-9
SiO_x-C coating: a composite-to-metal bonding mechanism (Laufer et al). 1988;60:320-7
Stain potential of four microfilled composites (Luce and Campbell). 1988;60:151-4
Strength of composites repaired by laminating with dissimilar composites (Kao et al). 1988;60:328-33
A technique for preparation of lingual rest seats in light-cured composite (Latta). 1988;60:127 (Tips)
Is tooth wear a correlate of composite microwear? (Teaford). 1988;60:400 (Tips)
Compressive strength
A comparison of compressive strengths of six cavity base materials (Draheim et al). 1988;60:317-9
Computed tomography; *see* **Tomography, X-ray computed**
Computer graphics
A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology (Stern et al). 1988;60:194-8
In vivo wear. Part I: the Michigan computer-graphic measuring system (McDowell et al). 1988;60:112-20
Condensation
An evaluation of four techniques for condensation of three opaque porcelains (Aranda and Barghi). 1988;60:29-31
Consumer satisfaction
Attitudes of removable denture patients toward dental implants (Akagawa et al). 1988;60:362-4
Difficult denture birds—new sightings (Koper). 1988;60:70-4
Correction
Temporomandibular disorders. Part I: functional status, dentomorphologic features, and sex differences in a nonpatient population (Pullinger et al) (1988;59:228-35). 1988;60:132
Correspondence
Letters. 1988;60:130-1, 260, 401-2, 646, 753-4
Cost benefit analysis
Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys (Morris). 1988;60:164-71
Cracked tooth syndrome
Occlusal adjustment for initial treatment and prevention of the cracked tooth syndrome (Agar and Weller). 1988;60:145-7
Craniomandibular function and dysfunction
Craniomandibular function and dysfunction. 1988;60:94-105, 235-41, 365-80, 491-503, 606-21, 712-24
Crowns
A cera-platin crown with an all-porcelain facial margin (Coffield). 1988;60:254-6
Margin design for esthetic posterior metal ceramic crowns (Salem). 1988;60:418-24
The use of temporary cement as a disclosing medium to improve the seating of gold castings (Noonan et al). 1988;60:644 (Tips)
Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys (Morris). 1988;60:52-7
Cuspid, abnormalities
Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites (Sheth et al). 1988;60:560-9

D

Data interpretation, statistical
Clinical and statistical analyses of human clinical trials with the single crystal aluminum oxide endosteal dental implant: five-year results (Koth et al). 1988;60:226-34
Debridement
Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8

Dental die; *see* **Casting investment**
Dental implants
Dental implants. 1988;60:75-93, 219-34, 349-64, 474-90, 587-605, 700-11
Dental technology
Dental technology. 1988;60:121-6, 254-6, 394-8, 515-9, 638-43, 735-40
Dentin
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Shear strength of composite bonded to laser-pretreated dentin (Cooper et al). 1988;60:45-9
Dentin sensitivity
Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites (Sheth et al). 1988;60:560-9
Denture, complete
Attitudes of removable denture patients toward dental implants (Akagawa et al). 1988;60:362-4
Dimensional stability of injection and conventional processing of denture base acrylic resin (Anderson et al). 1988;60:394-8
An electromyographic study of masticatory muscle activity at increased occlusal vertical dimension in complete denture wearers (Lyons). 1988;60:346-8
In vivo wear. Part II: wear and abrasion of composite restorative materials (Bloem et al). 1988;60:242-9
Internally weighted mandibular dentures (Hurtado). 1988;60:122-3
The mandibular subperiosteal implant denture: a fourteen-year study (Bailey et al). 1988;60:358-61
Minimizing incisal pin opening during complete denture processing (Kotwal et al). 1988;60:642-3
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part I: background information (Curtis et al). 1988;60:202-11
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part II: treatment concepts (Curtis et al). 1988;60:334-42
A survey of referred patients experiencing problems with complete dentures (Smith and Hughes). 1988;60:583-6
A technique for limiting reduction of overextended denture borders (Clancy). 1988;60:258-9 (Tips)
Denture, complete, lower
Prosthodontic rehabilitation following total mandibular reconstruction: a clinical report (Newton and Andres). 1988;60:139-42
Denture, overlay
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988;60:11-4
Tooth loss in an overdenture population (Ettinger). 1988;60:459-62
Denture, partial, fixed; *see also* **Implantation; Prosthesis**
Distribution of occlusal forces along unilateral posterior two-unit cantilever segments in cross-arch fixed partial dentures (Laurell and Lundgren). 1988;60:106-12
Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
Fixed partial denture design and construction for missing mandibular molars by using an osseointegrated implant for an abutment. (Rhodes). 1988;60:1-4
Flexion characteristics of fixed partial denture frameworks tested by using elapsed-time holographic interferometry (Wesson et al). 1988;60:308-10
Immediate fixed partial dentures (Jordan et al). 1988;60:529-31
Individual reconstruction of palatal concavities (Kubein-Meesenburg et al). 1988;60:662-72
Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8
Denture, partial, fixed—cont'd
The physical properties of a visible light-cured temporary fixed partial denture material (Khan et al). 1988;60:543-5
Restoration of carious exposed abutment teeth to fit existing fixed partial dentures (Lu). 1988;60:678-81
Surface treatment of gold alloys for adhesion (Tanaka et al). 1988;60:271-9
The taper of clinical preparations for fixed prosthodontics (Nordlander et al). 1988;60:148-51
Tooth preparation designs for resin-bonded fixed partial dentures related to enamel thickness (Eshleman et al). 1988;60:18-22
Two unique clinical applications using acid-etched restorations (Miller). 1988;60:9-11
Denture, partial, removable
An alternate centric relation recording technique for a distal-extension removable partial denture (Edge and Podnar). 1988;60:344-5
Attachment of swing-lock labial bar to an existing removable partial denture: a clinical report (Stevenson et al). 1988;60:409-11
Attitudes of removable denture patients toward dental implants (Akagawa et al). 1988;60:362-4
Comparison of two functional impression techniques for distal-extension removable partial dentures (Diwan and Fahmi). 1988;60:470-3
The effect of the resilient-layer distal-extension partial denture on movement of the abutment teeth: a new methodology (ElCharkawi et al). 1988;60:622-30
The effects on function of distal-extension removable partial dentures as determined by occlusal rest position (DeBoer). 1988;60:693-6
Factors other than direct retainer design that augment the retention of a mandibular distal-extension removable partial denture (Donahue). 1988;60:696-9
A modified direct retainer design for distal-extension removable partial dentures (Ben-Ur et al). 1988;60:342-4
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part I: background information (Curtis et al). 1988;60:202-11
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part II: treatment concepts (Curtis et al). 1988;60:334-42
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988;60:11-4
Retention magnets in guiding plates of distal-extension removable partial dentures (Pezzoli et al). 1988;60:577-82
A two-stage impression technique for distal-extension removable partial dentures (von Krammer). 1988;60:199-201
Denture bases
Bond strength of 4-META acrylic resin denture base to cobalt chromium alloy (Jacobson et al). 1988;60:570-6
Dimensional stability of injection and conventional processing of denture base acrylic resin (Anderson et al). 1988;60:394-8
Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization (McGowan et al). 1988;60:212-8
Factors other than direct retainer design that augment the retention of a mandibular distal-extension removable partial denture (Donahue). 1988;60:696-9
Measuring fracture toughness of high-impact poly(methyl methacrylate) with the short rod method (Neihart et al). 1988;60:249-53
Denture cleansers
Comparison of the antimicrobial capability of an abrasive paste and chemical-soak denture cleaners (Dills et al). 1988;60:467-70
Denture liners
The plasticizing effect of temporary soft lining materials on polymerized acrylic resins (Davis and Carmichael). 1988;60:463-6
Denture retention; *see* **Prosthesis retention**
Diamond; *see* **Carbon**
Dies; *see* **Casting investment**

Diffusion
Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique (Powis et al). 1988;60:304-7
Dimensional stability
Dimensional stability of injection and conventional processing of denture base acrylic resin (Anderson et al). 1988;60:394-8
Disinfectants
Linear dimensional changes in dental impressions after immersion in disinfectant solutions (Tullner et al). 1988;60:725-8
Diurnal rhythm; *see* **Circadian rhythm**
Diving
Diver's denture visibility at one hundred-foot depth (Hurst et al). 1988;60:738-40

E

Edentulous mouth; *see* **Mouth, edentulous**
Education
Research and education. 1988;60:106-20, 242-53, 381-93, 504-14, 622-37, 725-34
Elastomers
Using a syringe to make void-free casts from elastomeric impressions (Schelb). 1988;60:121-2
Electric stimulation
Can electrical stimulation be used to establish a physiologic occlusal position? (Dao et al). 1988;60:509-14
Electromyography
The effect of prior jaw motion on the plot of electromyographic amplitude versus jaw position (Plesh et al). 1988;60:369-73
An electromyographic study of masticatory muscle activity at increased occlusal vertical dimension in complete denture wearers (Lyons). 1988;60:346-8
Enamel
Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Tooth preparation designs for resin-bonded fixed partial dentures related to enamel thickness (Eshleman et al). 1988;60:18-22
Enamel solubility
The absence of an age effect on enamel solubility in phosphoric acid (Shay et al). 1988;60:531-40
The efficacy of liquid and gel acid etchants (Baharav et al). 1988;60:545-7
Endosseous implant; *see* **Implantation, endosseous**
Equipment; *see also* **Instruments**
Compatibility of type IV dental stones with polyether impression materials (Schelb et al). 1988;60:540-2
An evaluation of the criteria used to diagnose mandibular dysfunction with the mandibular kinesiograph (Feine et al). 1988;60:374-80
New face-bow simplifies routine use and dental laboratory cooperation (Strohaver and Ryan). 1988;60:638-41
Equipment contamination
Safe disposal of contaminated syringe needles (Firtell). 1988;60:259 (Tips)
Esthetics
Chairside color verification for facial prostheses (Ma et al). 1988;60:219-21
Implant prostheses for convertibility, stress control, esthetics, and hygiene (Garfield). 1988;60:85-93
The influence of porcelain powder blending on color: a clinical and laboratory study using a custom shade analysis system (Shaffner and Jones). 1988;60:425-32
Margin design for esthetic posterior metal ceramic crowns (Salem). 1988;60:418-24
Reproducing former esthetic qualities in new dentures (Duncan et al). 1988;60:515-7
Eye, artificial
Inverted anatomic tracing: a guide to establishing orbital tissue contours for the oculofacial prosthesis (Nusinov et al). 1988;60:483-5

F

Face, anatomy
Chairside color verification for facial prostheses (Ma et al). 1988;60:219-21
Inverted anatomic tracing: a guide to establishing orbital tissue contours for the oculofacial prosthesis (Nusinov et al). 1988;60:483-5
Face-bow; *see* **Equipment**
Finishing; *see* **Polishing**
Fixed prosthodontics
Fixed prosthodontics. 1988;60:15-57, 145-98, 267-333, 418-58, 529-69, 660-92
Flexion
Flexion characteristics of fixed partial denture frameworks tested by using elapsed-time holographic interferometry (Wesson et al). 1988;60:308-10
Fluorides
Fluoride release from glass ionomers used as luting agents (Muzynski et al). 1988;60:41-4
Foreign bodies
A method to prevent patients from accidentally ingesting dental devices (Harvey et al). 1988;60:143-4
Fractures
Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites (Wieczkowski et al). 1988;60:283-7
Measuring fracture toughness of high-impact poly(methyl methacrylate) with the short rod method (Neihart et al). 1988;60:249-53
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988;60:11-4

G

Gagging
Rapid elimination of a hyperactive gag reflex (Fleece et al). 1988;60:415-7
Reconstruction of the edentulous maxillary arch by using prosthodontic implants (Zobler). 1988;60:474-8
Gauge; *see* **Weights and measures**
Geometry; *see* **Mathematics**
Gingiva
Fluid absorbency of retraction cords after soaking in aluminum chloride solution (Runyan et al). 1988;60:676-8
Glass ionomer cements
A comparative study of the retentive capacity of dental cementing agents (Omar). 1988;60:35-40
Fluoride release from glass ionomers used as luting agents (Muzynski et al). 1988;60:41-4
Gnathology; *see* **Stomatognathic system**
Gold
The use of temporary cement as a disclosing medium to improve the seating of gold castings (Noonan et al). 1988;60:644 (Tips)
Gold alloys
Surface treatment of gold alloys for adhesion (Tanaka et al). 1988;60:271-9
Gypsum; *see* **Calcium sulfate**

H

Health surveys
A retrospective survey of patients treated with subperiosteal and endosseous implants (Falomo and Hobkirk). 1988;60:587-90
A survey of referred patients experiencing problems with complete dentures (Smith and Hughes). 1988;60:583-6
Histidine
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Holography
Flexion characteristics of fixed partial denture frameworks tested by using elapsed-time holographic interferometry (Wesson et al). 1988;60:308-10

Hydrocolloids; *see* **Impression materials**
Hydroxyapatites
Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
Hygiene; *see* **Denture cleansers; Oral hygiene**

I

Immersion
Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization (McGowan et al). 1988; 60:212-8
Implantation
Attitudes of removable denture patients toward dental implants (Akagawa et al). 1988;60:362-4
Implant prostheses for convertibility, stress control, esthetics, and hygiene (Garfield). 1988;60:85-93
Tissue-integrated implants for the partially edentulous patient (Jones and Jones). 1988;60:349-54
Implantation, endosseous
Clinical and statistical analyses of human clinical trials with the single crystal aluminum oxide endosteal dental implant: five-year results (Koth et al). 1988;60:226-34
Correction of alveolar ridge deformities with titanium implants (Block and Wiley). 1988;60:221-5
Fixed partial denture design and construction for missing mandibular molars by using an osseointegrated implant for an abutment. (Rhodes). 1988;60;1-4
Increased retention of a maxillary obturator prosthesis using osteointegrated intramobile cylinder dental implants: a clinical report (Mentag and Kosinski). 1988;60:411-5
The interaction of a magnetically retained denture with osseointegrated implants (Highton et al). 1988;60:486-90
A multicenter report on osseointegrated oral implants (Albrektsson). 1988;60:75-84
Osseointegration of two types of implants in nonhuman primates (Lum et al). 1988;60:700-5
A precision alignment frame for endosseous post dental implants (Brose et al). 1988;60:591-4
Preservation of the alveolar ridge with hydroxyapatite-collagen implants in rats (Hahn et al). 1988;60:729-34
Prosthodontic rehabilitation of the partially edentulous trauma patient by using osseointegrated implants (Diaz-Arnold et al). 1988;60:354-7.
Reconstruction of the edentulous maxillary arch by using prosthodontic implants (Zobler). 1988;60:474-8
A retrospective survey of patients treated with subperiosteal and endosseous implants (Falomo and Hobkirk). 1988;60:587-90
Template for positioning and angulation of intraosseous implants (Burns et al). 1988;60:479-83
Implants; *see also* **Implantation**
Dental implants. 1988;60:75-93, 219-34, 349-64, 474-90, 587-605, 700-11
Impression materials
An alternate centric relation recording technique for a distal-extension removable partial denture (Edge and Podnar). 1988; 60:344-5
Compatibility of type IV dental stones with polyether impression materials (Schelb et al). 1988;60:540-2
Considerations for adhesion of impression materials to impression trays (Bomberg et al). 1988;60:681-4
The effects of a liquid dispersing agent and a microcrystalline additive on the physical properties of type IV gypsum (Zakaria et al). 1988;60:630-7
Linear dimensional changes in dental impressions after immersion in disinfectant solutions (Tullner et al). 1988;60:725-8
Reversible hydrocolloid: the standard of excellence (Nemetz and Tjan). 1988;60:267-70
Transfer copings made from acrylic resins with an opaquing agent (Lewinstein and Grajower). 1988;60:548-9
Impression technique
An alternative method of border molding (Lipkin). 1988;60:399 (Tips)
Impression technique—cont'd
Comparison of two functional impression techniques for distal-extension removable partial dentures (Diwan and Fahmi). 1988;60:470-3
Intranasal prostheses, splints, and stents (Seals et al). 1988;60:595-601
A two-stage impression technique for distal-extension removable partial dentures (von Krammer). 1988;60:199-201
Using a syringe to make void-free casts from elastomeric impressions (Schelb). 1988;60:121-2
Incisor, physiology
Individual reconstruction of palatal concavities (Kubein-Meesenburg et al). 1988;60:662-72
Instruments; *see also* **Equipment**
Effect of air-powder abrasive instrument on porcelain (Cooley et al). 1988;60:440-3
Effects of four lubricants used during incremental insertion of two types of visible light-activated composites (Tjan and Glancy). 1988;60:189-94
An evaluation of finishing instruments for an anterior and a posterior composite (Pratten and Johnson). 1988;60:154-8
A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology (Stern et al). 1988; 60:194-8
A method to prevent patients from accidentally ingesting dental devices (Harvey et al). 1988;60:143-4
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Reproducibility of the vertical dimension of occlusion with an improved measuring gauge (Morikawa et al). 1988;60:58-61
The taper of clinical preparations for fixed prosthodontics (Nordlander et al). 1988;60:148-51
Interferometry
Flexion characteristics of fixed partial denture frameworks tested by using elapsed-time holographic interferometry (Wesson et al). 1988;60:308-10

J

Jaw, analysis
The effect of prior jaw motion on the plot of electromyographic amplitude versus jaw position (Plesh et al). 1988;60:369-73
Jaw relation record
Clinical accuracy of functionally generated interocclusal registration waxes (Eeckman and De Boever). 1988;60:549-52

K

Kinesiography
An evaluation of the criteria used to diagnose mandibular dysfunction with the mandibular kinesiograph (Feine et al). 1988;60:374-80

L

Laboratories, dental
Factors to be considered by dentists in selecting dental laboratories (Douglass). 1988;60:645
Lasers
Shear strength of composite bonded to laser-pretreated dentin (Cooper et al). 1988;60:45-9
Leakage
Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique (Powis et al). 1988;60:304-7
Long-term monitoring of microleakage of composites. Part II: scanning electron microscopic examination of replica patterns of composite tags (Shortall). 1988;60:451-8
The sealing properties of temporary filling materials (Pashley et al). 1988;60:292-7
Letters
Letters. 1988;60:130-1, 260, 401-2, 646, 753-4
Light curing
Bond strength of joined posterior light-cured composites: comparison of surface treatments (Eli et al). 1988;60:185-9

Light curing—cont'd
The physical properties of a visible light-cured temporary fixed partial denture material (Khan et al). 1988;60:543-5
A technique for preparation of lingual rest seats in light-cured composite (Latta). 1988;60:127 (Tips)
Lubrication
Effects of four lubricants used during incremental insertion of two types of visible light-activated composites (Tjan and Glancy). 1988;60:189-94

M

Magnetics
Conversion of a conventional attachment to magnets (Tautin). 1988;60:257 (Tips)
The interaction of a magnetically retained denture with osseointegrated implants (Highton et al). 1988;60:486-90
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
Retention magnets in guiding plates of distal-extension removable partial dentures (Pezzoli et al). 1988;60:577-82
Malocclusion, Angle class II
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part I: background information (Curtis et al). 1988;60:202-11
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part II: treatment concepts (Curtis et al). 1988;60:334-42
Malocclusion, Angle class III
Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8
Mandible
Application of a geometric principle for locating the mandibular hinge axis through the use of a double recording stylus (Getz et al). 1988;60:553-9
Bite force duration: a diagnostic procedure for mandibular dysfunction (Choy and Kydd). 1988;60:365-8
An evaluation of the criteria used to diagnose mandibular dysfunction with the mandibular kinesiograph (Feine et al). 1988;60:374-80
A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology (Stern et al). 1988;60:194-8
Prosthodontic rehabilitation following total mandibular reconstruction: a clinical report (Newton and Andres). 1988;60:139-42
Mandibular condyle, abnormalities
Long-term treatment of disk-interference disorders of the temporomandibular joint with anterior repositioning occlusal splints (Okeson). 1988;60:611-6
Mandibular prosthesis
Internally weighted mandibular dentures (Hurtado). 1988;60:122-3
The mandibular subperiosteal implant denture: a fourteen-year study (Bailey et al). 1988;60:358-61
Mandibular rest position; *see* **Vertical dimension**
Masticatory muscles
CT assisted evaluation of variation in length and angulation of the lateral pterygoid muscle and variation in angulation of the medial pterygoid muscle: mandibular mechanics implications (Christiansen et al). 1988;60:616-21
An electromyographic study of masticatory muscle activity at increased occlusal vertical dimension in complete denture wearers (Lyons). 1988;60:346-8
Measuring diurnal variations in the dispersion of occlusal contacts (Molligoda et al). 1988;60:235-8
Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system (Burgess et al). 1988;60:606-10
Masticatory system; *see* **Stomatognathic system**
Mathematics
Application of a geometric principle for locating the mandibular hinge axis through the use of a double recording stylus (Getz et al). 1988;60:553-9
Maxilla
Increased retention of a maxillary obturator prosthesis using osteointegrated intramobile cylinder dental implants: a clinical report (Mentag and Kosinski). 1988;60:411-5
Maxillofacial prosthetics
Maxillofacial prosthetics. 1988;60:75-93, 219-34, 349-64, 474-90, 587-605, 700-11
Measures; *see* **Weights and measures**
Metals
Change in marginal fit as related to margin design, alloy type, and porcelain proximity in porcelain-fused-to-metal restorations (Richter-Snapp et al). 1988;60:435-9
The effects of manipulative variables on the color of ceramic metal restorations (Rosenstiel and Johnston). 1988;60:297-303
Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization (McGowan et al). 1988;60:212-8
Margin design for esthetic posterior metal ceramic crowns (Salem). 1988;60:418-24
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988;60:11-4
SiO_x-C coating: a composite-to-metal bonding mechanism (Laufer et al). 1988;60:320-7
Surface treatment of gold alloys for adhesion (Tanaka et al). 1988;60:271-9
Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys (Morris). 1988;60:52-7
Veterans Administration Cooperative Studies Project No. 147. Part VI: laboratory costs of castings from noble and alternative ceramic metal alloys (Morris). 1988;60:164-71
Metals, rare earth
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
Methylmethacrylates
Measuring fracture toughness of high-impact poly(methyl methacrylate) with the short rod method (Neihart et al). 1988;60:249-53
Microbiology
Comparison of the antimicrobial capability of an abrasive paste and chemical-soak denture cleaners (Dills et al). 1988;60:467-70
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Microleakage; *see* **Leakage**
Microscopy, electron, scanning
The effects of a liquid dispersing agent and a microcrystalline additive on the physical properties of type IV gypsum (Zakaria et al). 1988;60:630-7
Long-term monitoring of microleakage of composites. Part II: scanning electron microscopic examination of replica patterns of composite tags (Shortall). 1988;60:451-8
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Models
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Molar
The occlusal status of molars (Plasmans et al). 1988;60:500-3
Mouth, edentulous; *see also* **Denture, complete**
Reconstruction of the edentulous maxillary arch by using prosthodontic implants (Zobler). 1988;60:474-8
Mouth floor, pathology
Afterloaded radiation carrier for carcinoma of the palate: a clinical report (Randall et al). 1988;60:655-9

Movement
The effect of prior jaw motion on the plot of electromyographic amplitude versus jaw position (Plesh et al). 1988;60:369-73
A graphic comparison of mandibular border movements generated by various articulators. Part I: methodology (Stern et al). 1988; 60:194-8
Myofascial pain syndromes
Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system (Burgess et al). 1988; 60:606-10

N

Nasal cavity
Intranasal prostheses, splints, and stents (Seals et al). 1988;60:595-601
Neck muscles
Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system (Burgess et al). 1988; 60:606-10
Needles
Safe disposal of contaminated syringe needles (Firtell). 1988;60:259 (Tips)
Neodymium
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
Nickel
The effect of limited beryllium additions on a Ni-Cr alloy (Cohen et al). 1988;60:688-92
Nocturnal rhythm
Prevalence of nocturnal and diurnal bruxism in patients with psoriasis (Könönen and Siirilä). 1988;60:238-41

O

Occlusion; *see also* **Occlusion, centric**
Can electrical stimulation be used to establish a physiologic occlusal position? (Dao et al). 1988;60:509-14
A comparison of articulator settings obtained by using an electronic pantograph and lateral interocclusal recordings (Price and Bannerman). 1988;60:159-64
Distribution of occlusal forces along unilateral posterior two-unit cantilever segments in cross-arch fixed partial dentures (Laurell and Lundgren). 1988;60:106-12
Measuring diurnal variations in the dispersion of occlusal contacts (Molligoda et al). 1988;60:235-8
Occlusal adjustment for initial treatment and prevention of the cracked tooth syndrome (Agar and Weller). 1988;60:145-7
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part I: background information (Curtis et al). 1988;60:202-11
Occlusal considerations for partially or completely edentulous skeletal class II patients. Part II: treatment concepts (Curtis et al). 1988;60:334-42
The occlusal status of molars (Plasmans et al). 1988;60:500-3
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988; 60:11-4
Reproducibility of the vertical dimension of occlusion with an improved measuring gauge (Morikawa et al). 1988;60:58-61
Occlusion, centric
An alternate centric relation recording technique for a distal-extension removable partial denture (Edge and Podnar). 1988; 60:344-5
Centric relation and the treatment position in rehabilitating occlusions: a physiologic approach. Part II: the treatment position (Wood). 1988;60:15-8
Gnathologic assessment of centric slides in postretention orthodontic patients (Johnston et al). 1988;60:712-5
Minimizing incisal pin opening during complete denture processing (Kotwal et al). 1988;60:642-3
New face-bow simplifies routine use and dental laboratory cooperation (Strohaver and Ryan). 1988;60:638-41
Operative dentistry
Fixed prosthodontics and operative dentistry. 1988;60:15-57, 145-98, 267-333, 418-58, 529-69, 660-92
Oral hygiene
Implant prostheses for convertibility, stress control, esthetics, and hygiene (Garfield). 1988;60:85-93
Orbit, anatomy
Inverted anatomic tracing: a guide to establishing orbital tissue contours for the oculofacial prosthesis (Nusinov et al). 1988; 60:483-5
Orthodontics
Gnathologic assessment of centric slides in postretention orthodontic patients (Johnston et al). 1988;60:712-5
Osseointegration
Fixed partial denture design and construction for missing mandibular molars by using an osseointegrated implant for an abutment. (Rhodes). 1988;60:1-4
A multicenter report on osseointegrated oral implants (Albrektsson). 1988;60:75-84
Osseointegration of two types of implants in nonhuman primates (Lum et al). 1988;60:700-5
Prosthodontic rehabilitation of the partially edentulous trauma patient by using osseointegrated implants (Diaz-Arnold et al). 1988;60:354-7
Tissue-integrated implants for the partially edentulous patient (Jones and Jones). 1988;60:349-54
Osteoradionecrosis
Prosthodontic rehabilitation following total mandibular reconstruction: a clinical report (Newton and Andres). 1988;60:139-42
Overdenture; *see* **Denture, overlay**

P

Pain
Bilateral arthrographic evaluation of unilateral temporomandibular joint pain and dysfunction (Kozeniauskas and Ralph). 1988; 60:98-105
Palatal obturators
Increased retention of a maxillary obturator prosthesis using osteointegrated intramobile cylinder dental implants: a clinical report (Mentag and Kosinski). 1988;60:411-5
Palate, pathology
Afterloaded radiation carrier for carcinoma of the palate: a clinical report (Randall et al). 1988;60:655-9
Pantography
A comparison of articulator settings obtained by using an electronic pantograph and lateral interocclusal recordings (Price and Bannerman). 1988;60:159-64
Patient satisfaction; *see* **Consumer satisfaction**
Peptides
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Phosphoric acids
The absence of an age effect on enamel solubility in phosphoric acid (Shay et al). 1988;60:531-40
Pins
Minimizing incisal pin opening during complete denture processing (Kotwal et al). 1988;60:642-3
Study of the retention of pins (Vitsentzos). 1988;60:447-51
Plaque
Comparison of the antimicrobial capability of an abrasive paste and chemical-soak denture cleaners (Dills et al). 1988;60:467-70
Plasticizers
The plasticizing effect of temporary soft lining materials on polymerized acrylic resins (Davis and Carmichael). 1988; 60:463-6
Plastics
Plastic dowel and core systems (Christensen). 1988;60:673-5
Platinum
A cera-platin crown with an all-porcelain facial margin (Coffield). 1988;60:254-6

Polishing
Comparison of the antimicrobial capability of an abrasive paste and chemical-soak denture cleaners (Dills et al). 1988;60:467-70
Effect of air-powder abrasive instrument on porcelain (Cooley et al). 1988;60:440-3
An evaluation of finishing instruments for an anterior and a posterior composite (Pratten and Johnson). 1988;60:154-8
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Poly(methyl methacrylate); *see* **Methylmethacrylates**
Polymers
Effect of chilled monomer on working time and transverse strength of three autopolymerizing acrylic resins (Chee et al). 1988;60:124-6
The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength (Chee et al). 1988;60:517-9
Polyurethanes
Effect of primers on the bond strength of silicone elastomers and polyurethane (Singer et al). 1988;60:602-5
Porcelain; *see also* **Ceramics**
A cera-platin crown with an all-porcelain facial margin (Coffield). 1988;60:254-6
Change in marginal fit as related to margin design, alloy type, and porcelain proximity in porcelain-fused-to-metal restorations (Richter-Snapp et al). 1988;60:435-9
Effect of air-powder abrasive instrument on porcelain (Cooley et al). 1988;60:440-3
Effect of porcelain surface treatment on the bond to composite (Lacy et al). 1988;60:288-91
An evaluation of four techniques for condensation of three opaque porcelains (Aranda and Barghi). 1988;60:29-31
The influence of porcelain powder blending on color: a clinical and laboratory study using a custom shade analysis system (Shaffner and Jones). 1988;60:425-32
An intraoral lift technique for refining porcelain margins (Jacobi and Brooks). 1988;60:433-5
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
Porosity
The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength (Chee et al). 1988;60:517-9
Post and core technique
Cast 'headed' post-cores to resist fracture of endodontically treated anterior teeth (Abadie). 1988;60:660-1
Effect of variation in powder-to-liquid ratio of zinc phosphate cement on the retention of posts (Wacker and Tjan). 1988;60:49-52
Plastic dowel and core systems (Christensen). 1988;60:673-5
A precision alignment frame for endosseous post dental implants (Brose et al). 1988;60:591-4
Powders
Effect of air-powder abrasive instrument on porcelain (Cooley et al). 1988;60:440-3
Effect of variation in powder-to-liquid ratio of zinc phosphate cement on the retention of posts (Wacker and Tjan). 1988;60:49-52
Primates
Osseointegration of two types of implants in nonhuman primates (Lum et al). 1988;60:700-5
Profilometry
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6
Prostaglandins
A local pathophysiologic mechanism of the resorption of residual ridges: prostaglandin as a mediator of bone resorption (Nishimura et al). 1988;60:381-8
Prosthesis
Chairside color verification for facial prostheses (Ma et al). 1988;60:219-21
Prosthesis—cont'd
Difficult denture birds—new sightings (Koper). 1988;60:70-4
Implant prostheses for convertibility, stress control, esthetics, and hygiene (Garfield). 1988;60:85-93
Two unique clinical applications using acid-etched restorations (Miller). 1988;60:9-11
Prosthesis design
Diver's denture visibility at one hundred-foot depth (Hurst et al). 1988;60:738-40
Immediate fixed partial dentures (Jordan et al). 1988;60:529-31
Individual reconstruction of palatal concavities (Kubein-Meesenburg et al). 1988;60:662-72
Intranasal prostheses, splints, and stents (Seals et al). 1988;60:595-601
Reproducing former esthetic qualities in new dentures (Duncan et al). 1988;60:515-7
Prosthesis failure
A survey of referred patients experiencing problems with complete dentures (Smith and Hughes). 1988;60:583-6
Prosthesis retention
A comparative study of the retentive capacity of dental cementing agents (Omar). 1988;60:35-40
Conversion of a conventional attachment to magnets (Tautin). 1988;60:257 (Tips)
Effect of variation in powder-to-liquid ratio of zinc phosphate cement on the retention of posts (Wacker and Tjan). 1988;60:49-52
Factors other than direct retainer design that augment the retention of a mandibular distal-extension removable partial denture (Donahue). 1988;60:696-9
Increased retention of a maxillary obturator prosthesis using osteointegrated intramobile cylinder dental implants: a clinical report (Mentag and Kosinski). 1988;60:411-5
The interaction of a magnetically retained denture with osseointegrated implants (Highton et al). 1988;60:486-90
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
A modified direct retainer design for distal-extension removable partial dentures (Ben-Ur et al). 1988;60:342-4
Retention magnets in guiding plates of distal-extension removable partial dentures (Pezzoli et al). 1988;60:577-82
Study of the retention of pins (Vitsentzos). 1988;60:447-51
Psoriasis
Prevalence of nocturnal and diurnal bruxism in patients with psoriasis (Könönen and Siirilä). 1988;60:238-41
Psychology
Difficult denture birds—new sightings (Koper). 1988;60:70-4
Pterygoid muscles
CT assisted evaluation of variation in length and angulation of the lateral pterygoid muscle and variation in angulation of the medial pterygoid muscle: mandibular mechanics implications (Christiansen et al). 1988;60:616-21
The relationship between the disk and the lateral pterygoid muscle in the human temporomandibular joint (Wilkinson). 1988;60:715-24

R

Radiochemistry
Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique (Powis et al). 1988;60:304-7
Radiography
The effect of increasing occlusal vertical dimension on transcranial radiographic projections of the temporomandibular joints (Gross). 1988;60:491-9
An evaluation of temporomandibular joint radiographs (Leary et al). 1988;60:94-7
A precision alignment frame for endosseous post dental implants (Brose et al). 1988;60:591-4
Transfer copings made from acrylic resins with an opaquing agent (Lewinstein and Grajower). 1988;60:548-9

Radiography, panoramic
A study of the height of intact alveolar bone on panoramic radiographs of adult patients (Packota et al). 1988;60:504-9
Radiotherapy
Afterloaded radiation carrier for carcinoma of the palate: a clinical report (Randall et al). 1988;60:655-9
Readers' round table
Letters. 1988;60:130-1, 260, 401-2, 646, 753-4
Referral and consultation
A survey of referred patients experiencing problems with complete dentures (Smith and Hughes). 1988;60:583-6
Reflex
Rapid elimination of a hyperactive gag reflex (Fleece et al). 1988;60:415-7
Reconstruction of the edentulous maxillary arch by using prosthodontic implants (Zobler). 1988;60:474-8
Refrigeration
Effect of chilled monomer on working time and transverse strength of three autopolymerizing acrylic resins (Chee et al). 1988;60:124-6
Refuse disposal
Safe disposal of contaminated syringe needles (Firtell). 1988;60:259 (Tips)
Removable prosthodontics; *see also* **Denture, partial, removable**
Removable prosthodontics. 1988;60:58-74, 199-218, 334-48, 459-73, 570-86, 693-9
Reproduction techniques
Reproducibility of the vertical dimension of occlusion with an improved measuring gauge (Morikawa et al). 1988;60:58-61
Reproducing former esthetic qualities in new dentures (Duncan et al). 1988;60:515-7
Research and education
Research and education. 1988;60:106-20, 242-53, 381-93, 504-14, 622-37, 725-34
Residual ridge; *see* **Alveolar process**
Resins; *see also* **Acrylic resins; Composite resins**
Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
In vitro two-body wear of three veneering resins (Gallegos and Nicholls). 1988;60:172-8
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
Tooth preparation designs for resin-bonded fixed partial dentures related to enamel thickness (Eshleman et al). 1988;60:18-22
Restoration, permanent
Change in marginal fit as related to margin design, alloy type, and porcelain proximity in porcelain-fused-to-metal restorations (Richter-Snapp et al). 1988;60:435-9
Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites (Wieczkowski et al). 1988;60:283-7
The effects of manipulative variables on the color of ceramic metal restorations (Rosenstiel and Johnston). 1988;60:297-303
Long-term monitoring of microleakage of composites. Part I: radiochemical diffusion technique (Powis et al). 1988;60:304-7
Long-term monitoring of microleakage of composites. Part II: scanning electron microscopic examination of replica patterns of composite tags (Shortall). 1988;60:451-8
Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8
Two unique clinical applications using acid-etched restorations (Miller). 1988;60:9-11
Veterans Administration Cooperative Studies Project No. 147. Part V: interrater results of precementation evaluations of metal-ceramic crowns cast from alternative alloys (Morris). 1988;60:52-7
Restoration, temporary
The physical properties of a visible light–cured temporary fixed partial denture material (Khan et al). 1988;60:543-5
The sealing properties of temporary filling materials (Pashley et al). 1988;60:292-7
Retention; *see* **Prosthesis retention**
Reversible hydrocolloid; *see* **Impression materials**
Rotation
Application of a geometric principle for locating the mandibular hinge axis through the use of a double recording stylus (Getz et al). 1988;60:553-9

S

Samarium
An investigation of two rare earth magnetic systems by measuring grip force and reseating force (Lewandowski et al). 1988;60:705-11
Scanning electron microscopy; *see* **Microscopy, electron, scanning**
Scuba diving; *see* **Diving**
Sealing properties; *see* **Biomechanics; Leakage**
Shear strength
Shear strength of composite bonded to laser-pretreated dentin (Cooper et al). 1988;60:45-9
Silicon
SiO_x-C coating: a composite-to-metal bonding mechanism (Laufer et al). 1988;60:320-7
Silicone elastomers
Effect of primers on the bond strength of silicone elastomers and polyurethane (Singer et al). 1988;60:602-5
Sodium hypochlorite
Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization (McGowan et al). 1988;60:212-8
Solubility; *see also* **Enamel solubility**
The effect of enamel etchant on the solubility of three calcium hydroxide bases (Titus et al). 1988;60:178-80
Splints
Intranasal prostheses, splints, and stents (Seals et al). 1988;60:595-601
Long-term treatment of disk-interference disorders of the temporomandibular joint with anterior repositioning occlusal splints (Okeson). 1988;60:611-6
Squamous cell carcinoma; *see* **Carcinoma, squamous cell**
Stains and staining
Stain potential of four microfilled composites (Luce and Campbell). 1988;60:151-4
Stents
Intranasal prostheses, splints, and stents (Seals et al). 1988;60:595-601
Stereometry
A stereometric technique for measuring residual alveolar ridge volumes (Adams and Wilding). 1988;60:388-93
Sterilization
Effects of sodium hypochlorite on denture base metals during immersion for short-term sterilization (McGowan et al). 1988;60:212-8
Stomatitis, denture
Model system for the in vitro testing of a synthetic histidine peptide against *Candida* species grown directly on the denture surface of patients with denture stomatitis (Santarpia et al). 1988;60:62-70
Stomatognathic system
CT assisted evaluation of variation in length and angulation of the lateral pterygoid muscle and variation in angulation of the medial pterygoid muscle: mandibular mechanics implications (Christiansen et al). 1988;60:616-21
Gnathologic assessment of centric slides in postretention orthodontic patients (Johnston et al). 1988;60:712-5
Short-term effect of two therapeutic methods on myofascial pain and dysfunction of the masticatory system (Burgess et al). 1988;60:606-10
Stones; *see* **Equipment**
Stress analysis
Implant prostheses for convertibility, stress control, esthetics, and hygiene (Garfield). 1988;60:85-93

Surveys; *see* **Health surveys**
Synovial membrane, pathology
Synovial chondromatosis of the temporomandibular joint (Davis et al). 1988;60:5-8
Syringes
Safe disposal of contaminated syringe needles (Firtell). 1988;60:259 (Tips)
Using a syringe to make void-free casts from elastomeric impressions (Schelb). 1988;60:121-2

T

Technology
Dental technology. 1988;60:121-6, 254-6, 394-8, 515-9, 638-43, 735-40
Temperature
Temperature gradients at two locations within the tooth during cavity preparation in vitro (Goodis et al). 1988;60:684-8
Templates
Template for positioning and angulation of intraosseous implants (Burns et al). 1988;60:479-83
Temporomandibular joint, abnormalities
Long-term treatment of disk-interference disorders of the temporomandibular joint with anterior repositioning occlusal splints (Okeson). 1988;60:611-6
Temporomandibular joint, anatomy
The relationship between the disk and the lateral pterygoid muscle in the human temporomandibular joint (Wilkinson). 1988; 60:715-24
Temporomandibular joint, radiography
Bilateral arthrographic evaluation of unilateral temporomandibular joint pain and dysfunction (Kozeniauskas and Ralph). 1988; 60:98-105
The effect of increasing occlusal vertical dimension on transcranial radiographic projections of the temporomandibular joints (Gross). 1988;60:491-9
An evaluation of temporomandibular joint radiographs (Leary et al). 1988;60:94-7
Temporomandibular joint diseases
Bilateral arthrographic evaluation of unilateral temporomandibular joint pain and dysfunction (Kozeniauskas and Ralph). 1988; 60:98-105
Long-term treatment of disk-interference disorders of the temporomandibular joint with anterior repositioning occlusal splints (Okeson). 1988;60:611-6
Synovial chondromatosis of the temporomandibular joint (Davis et al). 1988;60:5-8
Tensile strength
Adhesive bonding of composites to a casting alloy (Naegeli et al). 1988;60:279-83
Bond strength of joined posterior light-cured composites: comparison of surface treatments (Eli et al). 1988;60:185-9
The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength (Chee et al). 1988;60:517-9
Enamel reduction and the bond strength of resin-bonded retainers (Olsen et al). 1988;60:32-5
Strength of composites repaired by laminating with dissimilar composites (Kao et al). 1988;60:328-33
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
Tips from readers
Tips from our readers. 1988;60:127-9, 257-9, 399-400, 520-1, 644
Titanium
Correction of alveolar ridge deformities with titanium implants (Block and Wiley). 1988;60:221-5
Tomography, X-ray computed
CT assisted evaluation of variation in length and angulation of the lateral pterygoid muscle and variation in angulation of the medial pterygoid muscle: mandibular mechanics implications (Christiansen et al). 1988;60:616-21
Tooth abrasion
In vitro two-body wear of three veneering resins (Gallegos and Nicholls). 1988;60:172-8
Tooth abrasion—cont'd
In vivo wear. Part I: the Michigan computer-graphic measuring system (McDowell et al). 1988;60:112-20
In vivo wear. Part II: wear and abrasion of composite restorative materials (Bloem et al). 1988;60:242-9
Is tooth wear a correlate of composite microwear? (Teaford). 1988;60:400 (Tips)
Tooth fractures
Cast 'headed' post-cores to resist fracture of endodontically treated anterior teeth (Abadie). 1988;60:660-1
Cuspal deformation and fracture resistance of teeth with dentin adhesives and composites (Sheth et al). 1988;60:560-9
Effects of incremental versus bulk fill technique on resistance to cuspal fracture of teeth restored with posterior composites (Wieczkowski et al). 1988;60:283-7
Tooth movement, minor
The effect of the resilient-layer distal-extension partial denture on movement of the abutment teeth: a new methodology (ElCharkawi et al). 1988;60:622-30
Tooth root, surgery
Management of class III furcally involved abutments for fixed prosthodontic restorations (Reinhardt and Sivers). 1988;60:23-8
Trauma; *see* **Wounds and injuries**
Tungsten
Micrographic and profilometric evaluation of the finish produced by diamond and tungsten carbide finishing burs on enamel and dentin (Price and Sutow). 1988;60:311-6

V

Vacuum
The effect of vacuum-mixed autopolymerizing acrylic resins on porosity and transverse strength (Chee et al). 1988;60:517-9
Veneers
Adhesive bonding of composites to a casting alloy (Naegeli et al). 1988;60:279-83
In vitro two-body wear of three veneering resins (Gallegos and Nicholls). 1988;60:172-8
Tensile bond of resin cements to porcelain veneers (Nicholls). 1988;60:443-7
Vertical dimension
Can electrical stimulation be used to establish a physiologic occlusal position? (Dao et al). 1988;60:509-14
Centric relation and the treatment position in rehabilitating occlusions: a physiologic approach. Part II: the treatment position (Wood). 1988;60:15-8
Dimensional stability of injection and conventional processing of denture base acrylic resin (Anderson et al). 1988;60:394-8
The effect of increasing occlusal vertical dimension on transcranial radiographic projections of the temporomandibular joints (Gross). 1988;60:491-9
The effect of prior jaw motion on the plot of electromyographic amplitude versus jaw position (Plesh et al). 1988;60:369-73
The effects on function of distal-extension removable partial dentures as determined by occlusal rest position (DeBoer). 1988;60:693-6
An electromyographic study of masticatory muscle activity at increased occlusal vertical dimension in complete denture wearers (Lyons). 1988;60:346-8
Minimizing incisal pin opening during complete denture processing (Kotwal et al). 1988;60:642-3
Modified Boley gauge for recording vertical dimension (Salib et al). 1988;60:520-1 (Tips)
Overdentures with metal occlusion to maintain occlusal vertical dimension and prevent denture fracture (Windchy et al). 1988;60:11-4
Reproducibility of the vertical dimension of occlusion with an improved measuring gauge (Morikawa et al). 1988;60:58-61

W

Waxes
Clinical accuracy of functionally generated interocclusal registration waxes (Eeckman and De Boever). 1988;60:549-52
Wear; *see* **Tooth abrasion**

Weights and measures
In vivo wear. Part I: the Michigan computer-graphic measuring system (McDowell et al). 1988;60:112-20
Internally weighted mandibular dentures (Hurtado). 1988;60: 122-3
Modified Boley gauge for recording vertical dimension (Salib et al). 1988;60:520-1 (Tips)
Reproducibility of the vertical dimension of occlusion with an improved measuring gauge (Morikawa et al). 1988;60:58-61
Wounds and injuries
Prosthodontic rehabilitation of the partially edentulous trauma patient by using osseointegrated implants (Diaz-Arnold et al). 1988;60:354-7

Z

Zinc phosphate cement
A comparative study of the retentive capacity of dental cementing agents (Omar). 1988;60:35-40
A comparison of compressive strengths of six cavity base materials (Draheim et al). 1988;60:317-9
Effect of variation in powder-to-liquid ratio of zinc phosphate cement on the retention of posts (Wacker and Tjan). 1988;60:49-52